Revision date: 8/12/2016 Revision: 4 Supersedes date: 13/12/2011



# SAFETY DATA SHEET Cutan Alcohol Foam

SECTION 1: Identification: Product identifier and chemical identity

**Product identifier** 

Product name Cutan Alcohol Foam

**Product No.** 6195, 6045, 6044, 6190

Relevant identified uses of the substance or mixture and uses advised against

**Application** Hand Sanitiser

Details of the supplier of the safety data sheet

Supplier

DEB Australia Pty Ltd

Unit 1

1 Secombe Place Moorebank NSW 2170 Australia

(61 2) 8763 1800 (61 2) 8763 1899 sales@deb.com.au

Manufacturer

DEB Worldwide Healthcare Inc

76 Adams Boulevard

Brantford Ontario N3S 7V2

Telephone: 519-7591051 Fax: 519-759-6384

Emergency telephone number

Emergency telephone NSW Poisons Information Centre Contact 131126 New Zealand call 0800 764 766

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

Physical hazards Flam. Liq. 3 - H226

**Health hazards** Acute Tox. 3 - H331 Eye Dam. 1 - H318

Environmental hazards Not Classified

Physicochemical The product is highly flammable. Vapours may form explosive mixtures with air.

Label elements

Signal word Danger

Hazard statements H226 Flammable liquid and vapour.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

Precautionary statements P210 Keep away from heat/ sparks/ open flames/ hot surfaces. - No smoking.

P261 Avoid breathing vapour/ spray.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog for extinction.

P312 Call a POISON CENTER or doctor/ physician if you feel unwell.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/ container in accordance with national regulations.

Supplemental label information

The safety of the product when used as directed has been confirmed by an independent

toxicologist.

Eye protection not required normally but wear eye protection if you are conducting an

operation where there is a risk of this product getting in the eyes.

Contains PROPAN-1-OL, Ethanol, 2,2'-iminobis-, Compd. 65530-64-5 With .alpha.,.alpha.'-

[phosphinicobis(oxy- 2,1-ethanediyl)]bis[.omega.-fluorop oly(dif Luoromethylene)] (1:1), Ethanol, 2,2'-iminobis-, Compd. 65530-63-4 With .alpha.-fluoro-.omega.-[2-(phospho

nooxy)ethyl]poly(difluoromethylene) (2:1)

#### SECTION 3: Composition and information on ingredients

#### **Mixtures**

ETHANOL 30-60% CAS number: 64-17-5

### Classification

Flam. Liq. 2 - H225 Eye Irrit. 2A - H319

PROPAN-1-OL 5-10%

CAS number: 71-23-8

#### Classification

Flam. Liq. 2 - H225 Eye Dam. 1 - H318 STOT SE 3 - H336

GLYCERIN <1%

CAS number: 56-81-5

## Classification

Not Classified

Revision date: 8/12/2016 Revision: 4 Supersedes date: 13/12/2011

#### **Cutan Alcohol Foam**

Ethanol, 2,2'-iminobis-, Compd. 65530-64-5 With

.alpha.,.alpha.'-[phosphinicobis(oxy- 2,1-

ethanediyl)]bis[.omega.-fluorop oly(dif Luoromethylene)] (1:1)

CAS number: 65530-64-5

Classification

Acute Tox. 1 - H330 STOT RE 2 - H373

Ethanol, 2,2'-iminobis-, Compd. 65530-63-4 With .alpha.-

<1%

<1%

fluoro-.omega.-[2-(phospho

nooxy)ethyl]poly(difluoromethylene) (2:1)

CAS number: 65530-63-4

Classification

Acute Tox. 1 - H330

The full text for all hazard statements is displayed in Section 16.

Composition comments Alcohol Denat, Aqua, Propyl Alcohol, Glycerin, DEA C8 C18 Perfluoroalkyethyl Phosphate,

Butyl Glycol, Butylene Glycol, Coco Glucoside, Glyceryl Oleate

## **SECTION 4: First aid measures**

#### Description of first aid measures

**General information** Get medical attention if any discomfort continues.

**Inhalation** Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Get medical attention if any discomfort continues.

**Ingestion** DO NOT induce vomiting. Get medical attention immediately.

**Skin Contact** Remove contaminated clothing.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes. Get medical attention promptly if symptoms occur after washing.

#### Most important symptoms and effects, both acute and delayed

**Inhalation** Prolonged exposure may cause chronic effects.

**Ingestion** May cause nausea, headache, dizziness and intoxication.

Skin contact None known.

**Eye contact** May cause severe eye irritation.

## Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

### SECTION 5: Firefighting measures

## Extinguishing media

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide or dry powder.

## Special hazards arising from the substance or mixture

Specific hazards FLAMMABLE.

Hazardous combustion

products

Oxides of carbon.

Advice for firefighters

Protective actions during

firefighting

Fight fire from safe distance or protected location. Containers close to fire should be removed

or cooled with water.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

Hazchem Code •3W

#### SECTION 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Take precautionary measures against static discharges. No smoking, sparks, flames or other

sources of ignition near spillage. Avoid contact with eyes.

**Environmental precautions** 

**Environmental precautions** Do not discharge into drains or watercourses or onto the ground. Contain spillage with sand,

earth or other suitable non-combustible material.

#### Methods and material for containment and cleaning up

Methods for cleaning up Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near

spillage. Provide adequate ventilation. Wash thoroughly after dealing with a spillage. Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste

disposal containers and seal securely.

Reference to other sections

**Reference to other sections** For personal protection, see Section 8.

## SECTION 7: Handling and storage, including how the chemical may be safely used

#### Precautions for safe handling

Usage precautions Avoid contact with eyes. Keep away from heat, sparks and open flame. Keep in a cool, well

ventilated place.

#### Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly closed original container in a well-ventilated place. Keep away from heat,

sparks and open flame.

**Storage class** Flammable liquid storage.

Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

## SECTION 8: Exposure controls and personal protection

## **Control parameters**

### Occupational exposure limits

**ETHANOL** 

Long-term exposure limit (8-hour TWA): 1000 ppm 1880 mg/m<sup>3</sup>

## **PROPAN-1-OL**

Long-term exposure limit (8-hour TWA): 200 ppm 492 mg/m<sup>3</sup> Short-term exposure limit (15-minute): 250 ppm 614 mg/m<sup>3</sup>

Sk

#### **GLYCERIN**

Long-term exposure limit (8-hour TWA): 10 mg/m³ mist

Sk = Absorption through the skin may be a significant source of exposure.

#### **Exposure controls**

#### Protective equipment



Appropriate engineering

controls

Provide adequate ventilation.

**Eye/face protection** Not required normally but wear eye protection if you are conducting an operation where there

is a risk of this product getting in the eyes.

**Hand protection** Hand protection not required.

Hygiene measures DO NOT SMOKE IN WORK AREA! Promptly remove any clothing that becomes

contaminated.

Respiratory protection 
No specific requirements are anticipated under normal conditions of use. Respiratory

protection may be required if excessive airborne contamination occurs.

#### SECTION 9: Physical and chemical properties

### Information on basic physical and chemical properties

Appearance Clear to slightly opalescent yellowish liquid

**Colour** Clear to slightly opalencent yellowish

Odour Alcoholic.

**pH** pH (concentrated solution): 6.5-8.5

Melting point Not Applicable °C

Relative density 0.880-0.895 g/ml @ °C

## SECTION 10: Stability and reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

Stability No particular stability concerns.

Possibility of hazardous

reactions

Not known.

Conditions to avoid Avoid heat, flames and other sources of ignition.

Materials to avoid Oxidising Agents Strong oxidising agents.

Hazardous decomposition

products

Protection against nuisance dust must be used when the airborne concentration exceeds 10

mg/m3. Oxides of carbon. Oxides of nitrogen.

## SECTION 11: Toxicological information

## Information on toxicological effects

#### Respiratory Sensitisation

Eye Irritation/Damage

**Skin Sensitisation** 

Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 3.0

General information Avoid inhalation of vapours and spray/mists.

**Inhalation** Prolonged exposure may cause chronic effects.

**Ingestion** May cause nausea, headache, dizziness and intoxication.

**Skin Contact** Skin irritation should not occur when used as recommended.

**Eye contact** Irritating to eyes.

## **SECTION 12: Ecological Information**

**Ecotoxicity** The product is not expected to be hazardous to the environment.

Persistence and degradability

Persistence and degradability The product is expected to be biodegradable.

Bioaccumulative potential

Bioaccumulative Potential No data available on bioaccumulation.

Mobility in soil

**Mobility** The product is soluble in water.

Other adverse effects

Other adverse effects None known.

#### SECTION 13: Disposal considerations

## Waste treatment methods

General information Only experts should be permitted to carry out disposal of this material. When handling waste,

the safety precautions applying to handling of the product should be considered. Wear

suitable protective clothing as protection against splashing or contamination.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

## SECTION 14: Transport information

**UN number** 

**UN No. (ADG)** 1992

**UN No. (IMDG)** 1992

**UN No. (ICAO)** 1992

UN proper shipping name

Proper shipping name (ADG) FLAMMABLE LIQUID, TOXIC, N.O.S. (CONTAINS ETHANOL, Ethanol, 2,2'-iminobis-,

Compd. 65530-64-5 With .alpha.,.alpha.'-[phosphinicobis(oxy- 2,1-ethanediyl)]bis[.omega.-

fluorop oly(dif Luoromethylene)] (1:1))

Revision date: 8/12/2016 Revision: 4 Supersedes date: 13/12/2011

#### **Cutan Alcohol Foam**

Proper shipping name

(IMDG)

FLAMMABLE LIQUID, TOXIC, N.O.S. (CONTAINS ETHANOL, Ethanol, 2,2'-iminobis-, Compd. 65530-64-5 With .alpha.,.alpha.'-[phosphinicobis(oxy- 2,1-ethanediyl)]bis[.omega.-

fluorop oly(dif Luoromethylene)] (1:1))

Proper shipping name (ICAO) FLAMMABLE LIQUID, TOXIC, N.O.S. (CONTAINS ETHANOL, Ethanol, 2,2'-iminobis-,

Compd. 65530-64-5 With .alpha.,.alpha.'-[phosphinicobis(oxy-2,1-ethanediyl)]bis[.omega.-

fluorop oly(dif Luoromethylene)] (1:1))

#### Transport hazard class(es)

ADG class 3

ADG subsidiary risk 6.1

ADG classification code FT1

ADG label 3

IMDG class 3

IMDG subsidiary risk 6.1

ICAO class/division 3

ICAO subsidiary risk 6.1

### Transport labels





## Packing group

ADG packing group

IMDG packing group III

ICAO packing group

#### **Environmental hazards**

Environmentally hazardous substance/marine pollutant

No.

Special precautions for user

**EmS** F-E, S-D

Hazchem Code •3W

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

9//8

### SECTION 15: Regulatory information

## Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations This Safety Data Sheet has been prepared in accordance with the Preparation of Safety Data

Sheets for Hazardous Chemicals Code of Practice (Safe Work Australia, February 2016).

#### SECTION 16: Any other relevant information

Revision comments Revision of information

Revision date 8/12/2016

Revision 4

Supersedes date 13/12/2011

**SDS No.** 21243

Hazard statements in full H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour. H318 Causes serious eye damage. H319 Causes serious eye irritation.

H330 Fatal if inhaled. H331 Toxic if inhaled.

H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.

Notes for Risk Phrases and Hazard Statements in Full

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.